GOVERNMENT OF ANDHRA PRADESH
ABSTRACT

PS – PR&RD Department – Allegations of irregularities in execution of Project for Comprehensive Development of SC/ST colonies under MGNREGS for providing CC roads and drains in Suddapalli SC Colony of Peddamudium Mandal in Y.S.R.Kadapa District – Disciplinary proceedings initiated and charge framed against Sri M.D.Subba Reddy, the then A.E., V&QC SubDivision, Jammalamadugu, YSR Kadapa Dist., now retired - Inquiry conducted – Further action dropped - Orders – Issued.

PANCHAYAT RAJ & RURAL DEVELOPMENT (VIG.II) DEPARTMENT

G.O.RT.No. 787 Dated: 09-10-2025

Read the following:-

1.Vigilance Report No.66, dated 25.07.2017 of DG, V&E.
2.G.O.Rt.No.475, PR&RD (Vig.II) Dept., dated 15.05.2018.
3.G.O.Rt.No.478, PR&RD (Vig.II) Dept., dated 15.05.2018.
4.WSD, dated 15.06.2018 of Sri M.D.Subba Reddy, the then A.E., V&QC Sub-Division, Jammalamadugu, YSR Kadapa Dist., now retired.
5.G.O.Rt.No.359, PR&RD (Vig.II) Dept., dt.10.05.2019.
6.Lr.No.SA1/V&E cases/Suddapalli/2019, dated 05.09.2023 of Inquiring Authority.
7.Govt. Memo No.8215(C.No.283878)/Vig.II/2017-4, dt.20.02.2025.
8.Representation, dt.15.04.2025 of Sri M.D.Subba Reddy, the then A.E., V&QC Sub-Division, Jammalamadugu, YSR Dist., now retired.

*****

ORDER:

Whereas, in the reference 1 st read above, the Director General, Vigilance & Enforcement on the allegation of irregularities in execution of Project for Comprehensive Development of SC/ST colonies under MGNREGS for providing CC roads and drains in Suddapalli SC Colony of Peddamudium Mandal in Y.S.R.Kadapa District , has recommended for disciplinary action against Sri M.D.Subba Reddy, the then Assistant Engineer, Vigilance & Quality Control Sub-Division, Jammalamadugu, YSR Kadapa Dist., now retired among others.

2. In the G.O. 2nd read above, Government have initiated common disciplinary proceedings against Sri M.D.Subba Reddy, the then Assistant Engineer, Vigilance & Quality Control Sub-Division, Jammalamadugu, YSR Kadapa District, now retired and four (4) others under Rule 24 of APCS (CC&A) Rules, 1991, duly framing the following articles of charge against him under Rule 20 of APCS (CC&A) Rules, 1991 with a direction to submit his written statement of defense vide G.O. 3rd read above:-

Charge:

That Sri M.D.Subba Reddy, then Assistant Engineer, Vigilance & Quality Control Sub-Division, Jammalamadugu, YSR Kadapa Dist., has committed grave irregularities in execution of project for comprehensive development of SC/ST colonies under MGNREGS for “providing CC Roads and Drains in Suddapalli SC Colony of Peddamudium Mandal in YSR Kadapa District” and caused loss to the Government exchequer to a tune of Rs.11,40,983/- in as much as he issued Quality Control certificate to CC pavement, which was executed with substandard quality and without conducting any quality control tests.

Thus, Sri M.D.Subba Reddy, then Assistant Engineer, Vigilance & Quality Control Sub-Division, Jammalamadugu, YSR Kadapa District, by his above mentioned acts, has exhibited lack of integrity, not shown devotion to duty and exhibited conduct unbecoming of a Government Servant, in contravention of Rule-3 of APCS (Conduct) Rules, 1964.

3. In the reference 4th read above, the charged officer has submitted his written statement of defense and the same has been examined and found not convincing and decided to conduct regular inquiry into the matter. Accordingly, in the G.O. 5th read above, Government appointed the Superintending Engineer, Panchayat Raj Circle, Kadapa, as Inquiring Authority under Rule 20(2) of APCS (CC&A) Rules, 1991 to conduct inquiry into the charge framed against the

charged officer, Sri M.D.Subba Reddy, the then Assistant Engineer, Vigilance & Quality Control Sub-Division, Jammalamadugu, YSR Kadapa Disttrict, now retired and four (4) other co-charged officers involved in the case.

4. In the reference 6th read above, the Inquiring Authority has held the charge framed against Sri M.D.Subba Reddy, the then Assistant Engineer, Vigilance & Quality Control Sub-Division, Jammalamadugu, YSR Kadapa District, now retired and four (4) other co-charged officers, as not proved.

5. In the reference 7th read above, Government have communicated a copy of inquiry report to the charged officer, Sri M.D.Subba Reddy, the then Assistant Engineer, Vigilance & Quality Control Sub-Division, Jammalamadugu, YSR Kadapa District, now retired under Rule 21(2) of A.P.C.S.(CC&A) Rules, 1991, for his representation, if any, on the findings of the inquiry report. Accordingly, in the reference 8th read above, the charged officer, has submitted his representation and accepted the findings of the Inquiring Authority to drop the charge framed against him.

6. After careful examination of the entire matter, Government hereby drop further action against Sri M.D.Subba Reddy, the then Assistant Engineer, Vigilance & Quality Control Sub-Division, Jammalamadugu, YSR Kadapa District, now retired in the matter, as the charge framed against him is held as not proved in the inquiry.

7. The Engineer-in-Chief, Panchayat Raj, A.P., Vijayawada, shall take further necessary action in the matter accordingly.

(BY ORDER AND IN THE NAME OF THE GOVERNOR OF ANDHRA PRADESH)

SHASHI BHUSHAN KUMAR
PRINCIPAL SECRETARY TO GOVERNMENT

To
The Engineer-in-Chief, Panchayat Raj, A.P., Vijayawada.
Sri M.D.Subba Reddy, the then A.E., V&QC Sub-Division, Jammalamadugu, YSR Kadapa District, now retired. Through the Engineer-in-Chief, Panchayat Raj, A.P., Vijayawada.
Copy to:
The General Administration (V&E) Department, A.P., Vijayawada.
The Director General, Vigilance & Enforcement, AP, Vijayawada.
The Secretary to VC, A.P. Vigilance Commission, Velagapudi.
The Accountant General, AP, Vijayawada.
The PR&RD (Estt.I) Department.
The OSD to the Hon'ble Dy.C.M. for PR, RD, RWS&S and EFS&T.
The PS to Principal Secretary to Govt., PR&RD Dept.
SF/SC (283878).

//FORWARDED::BY ORDER//

SECTION OFFICER